Indiana Department of Environmental Management GUIDANCE FOR PREPARING ASBESTOS DEMOLITION/RENOVATION NOTIFICATIONS

**Per Indiana Rule 326 IAC 14-10-3(1), all notifications to the IDEM must be submitted on State Form Number 44593.

Per 326 IAC 14-10-5, demolition/renovation fees will be assessed quarterly to owners/ Operators submitting notifications during the previous quarter.

- I. Type of Notification -326 IAC 14-10-3(4).
 - A. If this is the <u>original notice</u>, please check the appropriate space on the notification form
 - B. If this is a <u>revised notice</u>, please check the appropriate space on the notification form. The revised notice must be postmarked and sent by certified mail, return receipt requested, at least 5 working days or delivered at least 2 working days before the start date of asbestos stripping or removal specified in: (1) the notice being revised **and** (2) the new revised notice. Facsimiles **will** be accepted by the IDEM.
 - C. All revisions must include a copy of the notice being revised.
 - D. If this is a <u>canceled notice</u>, please check the appropriate space on the notification form.
 - E. Courtesy Notification
- II. Facility Information 326 IAC 14-10-3(3)(B) and (R)
 - A. Either the owner or operator must submit the notice.
 - B. The owner means the individual(s) who own the property or lease the property.
 - C. The <u>operator</u> means the asbestos removal contractor or demolition contractor.
 - D. Specify the name, address, telephone number, Indiana license number and license expiration date, of the:
 - 1. asbestos removal contractor,
 - 2. inspector who conducted the assessment prior to demolition or renovation and
 - 3. project designer required or asbestos projects at schools K-12, or if project designer is used for non-school projects must be licensed.
- III. Type of Operation 326-IAC 14-10-3(3)(C), (O) and (S)
 - A. Refer to the definitions of demolition, renovation, and emergency renovation Operation in 326-IAC 14-10-2.
 - B. Ordered demolitions and emergency renovation operations have additional

- Notification requirements. Owner/operator must also complete Section XV or XVI of notification form.
- C. Demolition by intentional burning must comply with an approved Variance from Opening Burning Regulation 326IAC 4-1.

IV. <u>Is Asbestos Present? - Required by Federal 40 CFR Part 61, Subpart M</u>

- A. If asbestos is present, indicate "yes" in the space provided.
- B. If asbestos is not present, indicate "no".

V. <u>Procedures, Including Analytical Methods, if appropriate, Used to Detect the Presence and Amount of Asbestos Material - 326 IAC 14-10-3(3)(E).</u>

Describe how the asbestos was detected and, if samples were analyzed, specify the amount of friable asbestos visually during a walk-through inspections using a tape measure, blueprints, or pacing. Analytical methods could include the collection of samples and sample analyses by a polarized light microscope with dispersion staining.

For samples that test under 10% asbestos content: An owner or operator may (1) elect to assume material to be greater than 1% asbestos, or, (2) require verification by point counting in which the point counting result will supercede the visual estimation. Either choice and result should be stated on the notice when a sample is under 10% asbestos.

VI. Approximate Amount of Asbestos to be Removed - 326 IAC 14-10-3(3)(F)

- A. Specify the amount of regulated (friable) asbestos-containing material to be removed as follows:
 - 1. linear feet on pipes,
 - 2. square feet (surface area) on the facility components, and
 - 3. total cubic feet (volume) on or off all facility components. (All reported regulated amounts must be converted to cubic feet).
- B. Estimate the approximate amount of Category I and Category II non-friable asbestos-containing material in the affected part of the facility that will be removed before demolition.
- C. Estimate the approximate amount of Category I and Category II non-friable asbestos-containing material in the affected part of the facility that will not be removed before demolition.

VII. Scheduled Dates of Asbestos Stripping/Removal - 326 IAC 14-10-3(3)(H)

This means the actual start and end dates of the asbestos stripping or removal.

VIII. Scheduled Dates of Asbestos Stripping/Removal - 326 IAC 14-10-3(3)(H)

This means the starting and ending dates of the total demolition or renovation operation. For example: A renovation project may be scheduled from February 1 through March 15, 1995, however, the actual asbestos removal will occur from February 15, through 20, 1995. Demolition **must** start on date given in most recent notification.

IX Facility Description - 326 IAC 14-10-3(3)(D) and (G)

Include the building name, floor and number of the room(s) where the asbestos stripping or removal will take place. Provide enough detail that an unfamiliar inspector can find the asbestos project without asking anyone.

X. <u>Description of planned Demolition or Renovation Work, Methods/Techniques to be Used, and Affected Facility Components - 326 IAC 14-10-3(3)(K)</u>

Briefly describe the methods to be used to conduct the demolition or renovation. For renovations, these methods may include gross removal, glove bag removal, hand stripping or scraping. For demolitions, methods may include a wrecking Ball, bulldozer, dynamite, or unbolting panels or sections and carefully lowering to the ground. Affected facility components may include pipe wrap, floor tile, sprayed-on insulation, transite, etc.

- XI. <u>Description of Work Practices and Engineering Controls To Be Used To Prevent</u>
 <u>Emissions of Asbestos At the Site, Including Asbestos Stripping, Removal, and Waste</u>
 <u>Handling Procedures and the Procedures to Prevent Non-Friable Asbestos Material from</u>
 Becoming Friable in the Course of the Project 326 IAC 14-10-3(3)(L)
 - A. Examples of work practices and engineering controls to prevent asbestos emissions at the site would include: the use of water or wetting agents, containments, and negative air units during removal; placing into leak-tight containers or wrapping with six (6) mil thick polyethylene plastic sheeting which is properly labeled prior to disposal, etc.
 - B. Examples of removal and waste handling procedures to prevent non-friable material from becoming friable would include: removing by sections or units taking care not to crumble, pulverize, or reduce to power, using water to prevent any emissions, placing into leak-tight containers or wrapping with six (6) mil thick plastic which is properly labeled prior to disposal (including name or waste generator and location at which the waste was generated), etc.
- XII.** Description of Procedures to be Followed in the Event that Unexpected Asbestos is Found or Previously Non-Friable Asbestos Material Becomes Crumbled, Pulverized or Reduced to Powder 326 IAC 18-3 and 326 IAC 14-10-3(3)(M).
 - A. If the amount of unexpected asbestos or previously non-friable asbestos material is > 3 LnFt on pipes, 3 SqFt on other facility components, or a total of 0.75 CuFt on or off all facility components, then an accredited contractor (unless in-house accredited

personnel) with accredited personnel must implement the asbestos removal project in accordance with the requirements of 326 IAC 14-10.

- B. Pursuant to 326 IAC 14-10, a revised demolition/renovation notification must be submitted to the IDEM, which reflects the change in the amount of affected asbestoscontaining material. The revised notice must also reflect the new asbestos removal start date, if applicable.
- ** Required by 40 CFR Part 61, Subpart M

XIII. Waste Transporter - 326 IAC 14-10-3(3)(T)

Provide the name, address and telephone number of only the asbestos waste transporter. This should include the waste transporter's name, street address, city, state, zip code, contact person, and telephone number.

XIV. Waste Disposal site - 326 IAC 14-10-3(3)(N)

Provide the name and location of the sanitary landfill where the asbestos-containing waste material will be deposited. This should include the name, street address, city, state, zip code, waste disposal site contact person, and telephone number.

XV. <u>If Demolition Ordered by a Governmental Agency, Identify the Agency and Attach a Copy of the Order - 326 IAC 14-10-3(3)(O)</u>

- A. Provide the name, title and authority of the of the state or local governmental representative who has ordered the demolition .
- B. The authority is the applicable state or local regulation under which the demolition order has been issued.
- C. Attach a copy of the demolition order to the notice.

XVI. Emergency Renovations - 326 IAC 14-10-3(3)(S)

- A. Specify
 - 1. the date and hour that the emergency occurred,
 - 2. a description of the sudden unexpected event, and
 - 3. an explanation of how the event has caused emergency conditions
- B. An "emergency renovation operation" is a renovation operation that was not planned but results from a sudden, unexpected event. This term includes operations necessitated by non-routine failures of equipment.

XVII. <u>Certification Statement and Signature by Owner/Operator - 326 IAC 14-10-3(3)(O) and (P)</u>

Self-explanatory.

INDIANA DEPARTMENT OF ENVIRONMENTAL MANAGEMENT NOTIFICATION OF DEMOLITION AND RENOVATION OPERATIONS

State From 44593 (R2 / 8-99)

l.	TYPE OF NOTII	FICATION (check one):	Original * Must inclu	Revised *ude copy of notification w		Courtesy					
II.											
	Owner:										
	Address:										
	City:			State: Zip:							
	Contact:			Telephone #:							
	Removal Contractor:			Demolition Contractor:							
	Address:			Address:							
	City:	State:	Zip:	City:	State:	Zip:					
	Contact:		Phone:	Contact:	Phone:						
	IN License #:		Expiration:								
				(Required for asbestos projects at schools K – 12)							
	Inspector:			Project Designer:							
	Address:			Address:							
			Zip:	City:	State:	Zip:					
			Expiration:	IN License #: Expiration:							
	Phone:			Phone:							
III.		RATION (check one) ntentional Burning:	Renovation: Demolition:	<u>——</u>							
IV.	IS ASBESTOS PRESENT? (check one) YES:			NO:							
V.	PROCEDURES	PROCEDURES, INCLUDING ANALYTICAL METHODS, IF APPROPRIATE. USED TO DETECT THE PRESENCE AND AMOUNT OF ASBESTOS MATERIAL									
VI.	APPROXIMATE	AMOUNT OF ASBESTOS (I	ncluding Regulated ACM, Ca	tegory I non-friable Catego	ory II non-friable ACM)						
• • •	711 11071117112	l	•	sbestos Material Non-friable Asbestos Material							
		Regulated ACM to be removed	To be	removed	Not to be remo	Not to be removed before demolition					
			Category I	Category II	Category I	Category II					
Pipes ((LnFt)										
	e Area (SqFt)										
	olume (CuFt) Components										
VII.	SCHEDULED D	ATES OF ASBESTOS STRIP	PING/REMOVAL: Star	t:	End:						
VIII.	SCHEDULED D	ATES OF RENOVATION:	Start: En	nd: DEMOLITION: Start: End:							
IX.	FACILITY DESC	CRIPTION (Including building	name, floor, and room numb	per)							
	Building Name:										
	Street Address:										
	City:			State: County:							
	Location of removal within building:										
	Building Size (SqFt): # of Floors: Age:										
	Present Use: Prior use:										

X.	DESCRIPTION OF PLANNED DEMOLITION OR RENOVATION WORK, METHODS/TECHNIQUES TO BE USED, AFFECTED FACILITY COMPONENTS AND TYPE OF MATERIALS REMOVED									
XI.	DESCRIPTION OF WORK PR INCLUDING ASBESTOS STR BECOMING FRIABLE IN THE	IPPING, REMOVAL AN	D WASTE HANDLING					,		
XII.	DESCRIPTION OF PROCEDU MATERIAL BECOMES CRUMI				CTED ASBESTOS IS F	OUND OR P	REVIOUSLY NON-F	RIABLE ASBESTOS		
XIII.	WASTE TRANSPORTER			XIV.	WASTE DISPOSAL S	SITE				
	Name:				Name:			<u> </u>		
	Address:				Address:					
	City: 5	State:	Zip:		City:	State	e:	Zip:		
	Contact:	Phone:			Contact:		Phone:			
XV.	IF DEMOLITION ORDERED B FACILITY IS NOT INSPECTED DEMOLITION OR ASSUME AL	PRIOR TO DEMOLITI	ION, THE DEBRIS MU	ST BE KEF	T ADEQUATELY WET.	THE DEBR	IS MUST THEN BE	INSPECTED AFTER		
	Name:		Title:			Date ord	ered to begin:			
	Authority:					Date of 0	Order:			
XVI.	FOR EMERGENCY RENOVAT	TIONS:			Date and time of emer	gency:				
	Description of sudden, unexped	cted event:								
	Explanation of how the event caused unsafe conditions or would cause equipment damage:									
								_		
XVII.	I HEREBY CERTIFY THAT THE INFORMATION IN THIS NOTIFICATION IS CORRECT AND THAT I WILL ONLY USE INDIANA LICENSED WORKERS AND PROJEC SUPERVISORS, TO IMPLEMENT THIS ASBESTOS PROJECT, WHICH HAVE BEEN TRAINED IN 326IAC 14-10; 40 CFR PART 61, SUBPART M; AND, IF APPLICABLE INDIANAPOLIS AIR POLLUTION CONTROL BOARD REGULATION 14. THE TRAINED INDIVIDUAL(S) ALONG WITH EVIDENCE THAT THE REQUIRED TRAINING WAS ACCOMPLISHED SHALL BE AVAILABLE AT THE JOB SITE DURING ACTUAL WORKING HOURS.									
	Owner/operator (signature)				date					
	Owner/operator (printed)				affiliation					
*****	********	******	****** OFFICEUSEC	NLY ***	*******	******	******	******		
POSTMARK: RECEIVED: REVIEWED BY: DEFICIENCIES: page 2 of 2							:			
			page	2 UI Z						